




CATALOGUE
2026-2027

VACUUM CLEANER&STEAM CLEANER
Suzhou Purolf Technology Co.,Ltd



Suzhou Purolf Technology Co.,Ltd

ADD:No. 99 Changqing Road, WuJiang District, Suzhou 215216, China

TEL:0086-512-66877056/+8614751143149

FAX:0086-512-66877056

E-MAIL:Purolf@purolf.com



ABOUT US

Suzhou Purolf Technology Co.,Ltd, which was founded in Dec.2018, locates in Wuzhong District, Suzhou of China, which is near Shanghai-the world famous city ,the land water and air transportation are all very convenient. It is a professional manufacturer for household vacuum cleaners.

Our main products are : carpet washer, cordless/corded vacuum cleaner, steam mop ,bagless vacuum cleaner etc.

From 2018 to date we has received a patent for invention, utility model patents 3, 12 design patents.

We are young, but we do not lack of experience, in opposite we are full of vitality. All engineers, technicians, and QC have been working in vacuum cleaner line for over 10 years, they are with excellent technique and experience.

But we always add new ideas and innovative functions into our products, to make our products with Plus value.


Our products export to all over the world ,such as Germany, UK,USA, Canada, France, Spain, South Africa, Middle East etc, and we have cooperated with many big famous companies, including Walmart, Auchan, Lidl, Steba, Kmart, Target, Watson, Aldi,Salton, Aroma,Vytronix etc. Our factory are qualified by ISO9001:2015,BSCI and our products are certificated by GS,CE,CB, RoHS, ETL,ERP, PAH, REACH declaration.

Quality is extremely important to both factory and customers. We have very strict rules and procedures on quality control. For IQC, we do random inspection on most components, and 100% inspection for whole key components. During production and assembling, we do the Hi-pot testing, wattage testing, current leakage testing on every unit. After production finished, we do our own random final inspection to ensure the quality. For all the new developed items, they must pass life test for 500 hours. Most products have CE, GS, CB, RoHS, REACH declaration.



CARPET
WASHER

RL-650



230^V
voltage



800^W
power (up to)




11^{KPA}
vacuum (up to)

Technical Parameter


Voltage	110-240v
Motor power	800w
Vacuum	11kpa
Clean water tank	3.0L
Dirty water tank	2.8L
Power code length	6m
Product dimensions	42*27*115cm
Giftbox dimensions	103*28*26cm
Unit weight	5.64kg/7.2kg
Unit per 20GP/40GP/40HQ	397/863/965pcs

SPOT CLEANER

PR-651A



230^V Voltage



800^w Motor




18^{kpa} Suction

Technical Parameter


Voltage	110-240v
Power	650/800w/1000w
Suction	15/18/21kpa
Clean water tank	1.6L
Dirty water tank	1.1L
Power cord length	4M
Hose leanth	1.2m
Product dimensions	31*20*33cm
Giftbox	38*35*24cm
Outer box	39*36*25cm
Unit packaging	5.4kg/5.8kg
Units per 20GP/40HQ	860PCS/2000PCS

SPOT CLEANER WITH STEAM

PR-651B



230^v Voltage



1850^w Motor



16^{kpa} Suction

Technical Parameter

Voltage	110-240v
Power	1850w
Suction	16kpa
Clean water tank	1.6L
Dirty water tank	1.1L
Steam temperture	100°C
Power cord length	4M
Hose leanth	1.2m
Product dimensions	31*20*33cm
Giftbox	38*35*24cm
Outer box	39*36*25cm
Unit packaging	6.1kg/6.5kg
Units per 20GP/40HQ	860PCS/2000PCS

SPOT CLEANER WITH STEAM

PR-651C



SPOT CLEANER WITH STEAM



SPOT CLEANER WITH HEATING



651J



651G

SPOT CLEANER WITH COLD WATER



651E



651H

SPOT CLEANER WITH STEAM

PR-645B



230^V Voltage



1250^W Motor



12^{kpa} Suction

Technical Parameter

Voltage	110-220v
Power	1250w
Suction	>12kpa
Clean water tank	1.2L
Dirty water tank	0.7L
Steam temperture	100°C
Power cord length	3M
Hose leanth	1.2m
Product dimensions	27*18*38cm
Giftbox	35*22.5*37cm
Unit packaging	3.5kg/4.2kg
Units per 20GP/40HQ	980PCS/2340PCS

SPOT CLEANER WITH STEAM

PR-646B



230^V Voltage



1450^W Motor




13^{kpa} Suction

Technical Parameter

Voltage	110-220v
Power	1450w
Suction	>13kpa
Clean water tank	1.5L
Dirty water tank	1.2L
Steam temperture	100°C
Power cord length	3M
Hose leanth	1.2m
Product dimensions	35*23*33cm
Giftbox	46*29*35cm
Unit packaging	5kg/5.5kg
Units per 20GP/40HQ	650PCS/1550PCS

SPOT CLEANER

PR-652



220 V (up to)
voltage



600 W (up to)
motor




15 KPa (up to)
vacuum

Technical Parameter

Voltage	110-220v
Power	450w/600w
Suction	11kpa/15kpa
Clean water tank	1.5L
Dirty water tank	0.7L
Power cord length	5M
Hose leanth	1.2m
Product dimensions	32.6*17.3*30.6cm
Giftbox	38.6*19.5*34.7cm
Unit packaging	4kg/5kg
Units per 20GP/40HQ	1140PCS/2400PCS/2765PCS

SPOT CLEANER

PR-653



220 V (up to)
voltage



1200 W (up to)
motor



14 KPa (up to)
vacuum

Technical Parameter

Voltage	110-220v
Power	1200w
Suction	14kpa
Clean water tank	1.25L
Dirty water tank	0.9L
Power cord length	5M
Hose leanth	1.7m
Product dimensions	37*37*29cm
Giftbox	42.5*32.3*33cm
Unit packaging	5.5kg/6.3kg
Units per 20GP/40HQ	618PCS/1280PCS

SPOT CLEANER

PR-654



220 V (up to)
voltage



750 W (up to)
motor




15 KPa (up to)
vacuum

Technical Parameter	
Voltage	110-240v
Power	450w/750w
Suction	11-15kpa
Clean water tank	1.08L
Dirty water tank	0.8L
Power cord length	5M
Hose leanth	1.2m
Product dimensions	35*24*31.9cm
Giftbox	37*37*26cm
Unit packaging	4.5kg/5.1kg
Units per 20GP/40HQ	832/1746/1970PCS

WET DRY VACUUM

PR-542



240 V (up to)
voltage



200 W (up to)
motor



11 KPa (up to)
vacuum


Technical Parameter	
Voltage	110-240v
Battery Info	21.6V 2600mah
Motor Power	200w(DC)
Charging Time	4-5 Hours
Working Time	High/Low:20/30Mins
Vacuum	High/Low:11/8.5kpa
Clean Water Tank Capacity	550ml
Dirt Water Tank Capacity	450ml
Giftbox Dimensions	72.2*34.7*27.2cm
Unit packing	5.6/9kg
Units per 20/40HQ	426/823/1029PCS

WET DRY VACUUM

PR-541



STERILIZATION



240 ^{V (up to)}
voltage



170 ^{W (up to)}
motor




14 ^{KPa (up to)}
vacuum

Technical Parameter

Voltage	110-240v
Battery Info	25.9V 2600mah
Motor Power	170w(DC)
Charging Time	4-5 Hours
Working Time	High/Low:30/40Mins
Vacuum	Hign/Low:14/10kpa
Air Inlet Filter	Sponges
Clean Water Tank Capacity	485ml
Dirt Water Tank Capacity	400ml
Giftbox Dimensions	77.6*33.4*18.5cm
Unit packing	3/5.5kg
Units per 40/40HQ	1287/1554PCS

WET DRY VACUUM

PR-545



22.2 V (up to)
Battery



120 W (up to)
motor




10 KPa (up to)
vacuum

Voltage	110-240v
Battery Info	22.2V 2600mah
Motor Power	120w(BLDC)
Charging Time	4-5 Hours
Working Time	High/Low:35/47Mins
Vacuum	Hign/Low:10/7kpa
Air Inlet Filter	Sponges
Clean Water Tank Capacity	400ml
Dirt Water Tank Capacity	500ml
Giftbox Dimensions	58*44*16cm
Unit packing	3.5/5.5kg
Units per 20GP/40GP/40HQ	710/1500/1720PCS

STEAM MOP

PR-355



240 V (up to)
voltage



1300 W (up to)
power




20 s
steam

Technical Parameter

Voltage	110-240v
Power	1300W
Water tank capacity	280ml
Power cord length	4.5M
Steam	20s
Product Dimensions	30.2*21*114cm
Giftbox Dimensions	23*14*43cm
Master Carton Dimensions	47.5*29.5*45cm(4 in 1)
Unit packing	2.4KG/2KG
Units per 20"/40"/40"HQ	1880/3800/4320PCS

STEAM MOP

PR-357A



240 V (up to)
voltage



1500 W (up to)
power




370 ml (up to)
capacity

Voltage	110-240v
Power	1500W
Water tank capacity	370ml
Power cord length	5M
Steam	30s
Product Dimensions	11*13.5*105cm
Giftbox Dimensions	72.5*16*20.5cm
Master Carton Dimensions	73.5*33*42cm(4 in 1)
Unit packing	2.2KG/3.37KG
Units per 20"/40"/40"HQ	1200/1862/2700PCS



STEAM MOP

PR-357



240 V (up to)
voltage



1500 W (up to)
power




370 ml (up to)
capacity

Technical Parameter

Voltage	110-240v
Power	1500W
Water tank capacity	370ml
Power cord length	5M
Steam	30s
Product Dimensions	11*13.5*105cm
Giftbox Dimensions	72.5*16*20.5cm
Master Carton Dimensions	73.5*33*42cm(4 in 1)
Unit packing	2.2KG/3.37KG
Units per 20"/40"/40"HQ	1200/1862/2700PCS

CORDLESS VACUUMCLEABER

PR-728



25.9^V battery



550^W (up to) power



35^{KPa} (up to) vacuum

Technical Parameter


Voltage	110-240v
Battery Info	25.9V 2200mah
Motor Power	550/650w(BLDC)
Charging Time	4-5 Hours
Working Time	High/Eco/Low:20/30/40Mins
Vacuum	High/Eco/Low:35/15/10kpa
Air Inlet Filter	HEPA
Dust tank capacity	1200ml
Giftbox Dimensions	44*32.5*19cm
Outbox Dimensiona	44.5*34*61cm(3 in 1)
Unit packing	2.5/3.4kg
Units per 40/40HQ	1089/2180/2640PCS

CORDLESS VACUUMCLEABER

PR-729



Dust bag



25.9^V
battery



300^W
power (up to)




28^{KPa}
vacuum (up to)

Technical Parameter

Voltage	110-240v
Battery Info	25.9V 2200mah
Motor Power	300w(BLDC)
Charging Time	4-5 Hours
Working Time	High/Eco/Low:20/30/60Mins
Vacuum	High/Eco/Low:28/15/10kpa
Air Inlet Filter	HEPA
Dust cup/Dust bag	700ml/2500ml
Giftbox Dimensions	44*35*19cm
Unit packing	4.5kg/5kg
Units per 20GP/40GP/40HQ	965/2000/2413PCS

CORDLESS VACUUMCLEABER

PR-730



29.6^V
battery



350^W
power (up to)




28^{KPa}
vacuum (up to)

Technical Parameter

Voltage	110-240v
Battery Info	29.6V 2200mah
Motor Power	350w(BLDC)
Charging Time	4-5 Hours
Working Time	High/Eco/Low:13/28/50Mins
Vacuum	High/Eco/Low:28/12/28kpa
Air Inlet Filter	HEPA
Dust cup/Dust bag	800ml
Giftbox Dimensions	43.3*32.3*18.4cm
Outerbox Dimensions	58.5*44*34cm(3 in 1)
Unit packing	3.8kg/12.5kg
Units per 20GP/40GP/40HQ	960/1988/2400PCS

CORDLESS VACUUMCLEABER

PR-732



22.2^v
battery



200^w
power (up to)





27^{KPa}
vacuum (up to)

Technical Parameter

Voltage	110-240v
Battery Info	22.2V 2600mah
Motor Power	200w(BLDC)
Charging Time	4-5 Hours
Working Time	High/Low:20/35min
Vacuum	High/Low:27/13kpa
Air Inlet Filter	HEPA
Dust cup/Dust bag	120ml
Giftbox Dimensions	74*36*10cm
Unit packing	1.8kg/4kg
Units per 20GP/40GP/40HQ	1056/2178/2458PCS

CORDLESS
VACUUMCLEABER

PR-721



25.9^V
battery



350^W (up to)
power



23^{KPa} (up to)
vacuum

Technical Parameter

Voltage	110-240v
Battery Info	25.9V 2000mah
Motor Power	350w(BLDC)
Charging Time	4-5 Hours
Working Time	High/Eco/Low:8.5/18/40Mins
Vacuum	High/Eco/Low:23/16/10kpa
Air Inlet Filter	HEPA
Dust tank capacity	300ml
Giftbox Dimensions	74*32*13cm
Unit packing	2.3/1.45kg
Units per 40/40HQ	975/2005/2285PCS

CORDLESS VACUUMCLEABER

PR-605B



Pet Hair




Dust



Crumb



Pet Food



22.2^V
battery



280^W (up to)
power



28^{KPa} (up to)
vacuum


Technical Parameter

Voltage	110-240v
Battery Info	22.2V 2200mah
Motor Power	280w(BLDC)
Charging Time	4-5 Hours
Working Time	High/Eco/Low:20/30/50Mins
Vacuum	High/Eco/Low:28/18/12kpa
Air Inlet Filter	HEPA
Dust tank capacity	600ml
IED screen	Yes
Giftbox Dimensions	51*16.5*25cm
Unit packing	2.6/1.1kg
Units per 40/40HQ	1442/2954/3414PCS



CORDLESS VACUUMCLEABER

PR-616B



22.2^V
battery



250^W (up to)
power



23^{KPa} (up to)
vacuum


Technical Parameter

Voltage	110-240v
Battery Info	22.2V 2200mah
Motor Power	250w(BLDC)
Charging Time	4-5 Hours
Working Time	High/Low:20/45Mins
Vacuum	High/Low:23/14kpa
Air Inlet Filter	HEPA
Dust tank capacity	1200ml
LED screen	Yes
Detachable battery pack	Yes
Giftbox Dimensions	61.5*13.5*28cm
Unit packing	3.78/4.28kg
Units per 40/40HQ	1217/2521/3043PCS

CORDLESS
VACUUMCLEABER

PR-618

抽拉无噪音



22.2^V
battery



250^W (up to)
power




23^{KPa} (up to)
vacuum

Technical Parameter

Voltage	110-240v
Battery Info	22.2V 2000mah
Motor Power	250w(BLDC)/200w/150w
Charging Time	4-5 Hours
Working Time	High/Low:9/32Mins
Vacuum	High/Low:23/7kpa
Air Inlet Filter	HEPA
Dust tank capacity	500ml
LED screen	Yes
Detachable battery pack	Yes
Giftbox Dimensions	74*33*13.5cm
Unit packing	1.3/2.4kg
Units per 40/40HQ	975/2005/2285PCS

CORDLESS VACUUMCLEABER

PR-617



22.2^V battery



350^W (up to) power



25^{KPa} (up to) vacuum

Technical Parameter

Voltage	110-240v
Battery Info	22.2V 2000mah
Motor Power	250w/300w/350w BLDC
Charging Time	4-5 Hours
Working Time	High/Eco/Low:9/20/40Mins
Vacuum	High/Eco/Low:25/12/6kpa
Air Inlet Filter	HEPA
Dust tank capacity	600ml
Detachable battery pack	Yes
Giftbox Dimensions	44*29.5*18cm
Unit packing	2.4/3.2kg
Units per 40/40HQ	1250/2600/2800PCS

CORDLESS VACUUMCLEABER

PR-623



22.2^V battery



350^W (up to) power



23^{KPa} (up to) vacuum


Technical Parameter

Voltage	110-240v
Battery Info	22.2V 2000mah
Motor Power	250w/350w BLDC
Charging Time	4-5 Hours
Working Time	High/Low:20/45Mins
Vacuum	High/Low:23/8kpa
Air Inlet Filter	HEPA
Dust tank capacity	1100ml
Detachable battery pack	NO
Unit packing	1.3kg



CORDLESS
VACUUMCLEABER

PR-623B



22.2^V battery



350^W (up to)
power





23^{KPa} (up to)
vacuum

Technical Parameter

Voltage	110-240v
Battery Info	22.2V 2000mah
Motor Power	250w/350w BLDC
Charging Time	4-5 Hours
Working Time	High/Low:15/50Mins
Vacuum	High/Low:23/8kpa
Air Inlet Filter	HEPA
Dust tank capacity	1100ml
Detachable battery pack	NO
Unit packing	1.3kg

CANISTER VACUUM CLEANER

PR-658



230^V
voltage



1400^W
power (up to)




20^L
capacity (up to)

Technical Parameter

Voltage	110-240v
Motor power	1400w
Water tank capacity	20L
Power cable length	5m
Suction	21kpa
Water capacity	3.5L
Hose	1.8m
Noise	<85DB
Giftbox dimensions	48*43*38CM
Unit packing	8.3/7.8kg
Units per	396/829/969

BAG
VACUUMCLEABER

PR-665



240^V
Voltage



2000^W (up to)
power





25^{KPa} (up to)
vacuum

Technical Parameter

Voltage	110-240v
Motor Power	2000w
Vacuum	25kpa
Hose length	1.5m
Power cable length	5m
Dust bag	4L
Giftbox Dimensions	50.5*28.5*29.8cm
Unit packing	6.5kg/7.5kg
Units per 20GP/40GP/40HQ	700/1440/1660PCS

STEAM CLEANING MACHINE

PR-365



230^V
voltage



2000^W (up to)
power





2^L (up to)
capacity

Technical Parameter

Voltage	110-240v
Motor power	2000w
Water tank capacity	2L
Power cable length	5m
Heating time	8min
Working time	40min
Hose	1.45m
Steam pressure	2-5bar
Product dimensions	36.5*27*24cm
Giftbox dimensions	47.5*32*33cm
Master carton dimensions	48*34*36cm
Unit packing	3.6/6.4kg
Units per	558/1076/1250

STEAM CLEANER

PR-366



230^V Voltage



2000^W Motor





2^L Capacity

Technical Parameter

Voltage	110-240v
Motor power	2000w
Water tank capacity	2L
Power cable length	2.5m
Heating time	8min
Working time	40min
Hose	1.45m
Steam pressure	2-5bar
Product dimensions	36.5*27*24cm
Giftbox dimensions	47.5*32*33cm
Master carton dimensions	48*34*36cm
Unit packing	3.6/6.4kg
Units per 20GP/40GP/40HQ	558/1076/1250

STEAM CLEANING MACHINE

PR-370



230^V
voltage



2000^W
power (up to)





2^L
capacity (up to)

Technical Parameter

Voltage	110-240v
Motor power	2000w
Water tank capacity	2L
Power cable length	2.5m
Heating time	8min
Working time	40min
Hose	1.45m
Steam pressure	2-5bar
Product dimensions	36.5*27*24cm
Giftbox dimensions	47.5*32*33cm
Master carton dimensions	48*34*36cm
Unit packing	3.6/6.4kg
Units per	558/1076/1250

STEAM CLEANER

PR-371



230^V Voltage



2000^W Motor



2^L Capacity

Technical Parameter


Voltage	110-240v
Motor power	2000w
Water tank capacity	2L
Power cable length	2.5m
Heating time	8min
Working time	40min
Hose	1.45m
Steam pressure	2-5bar
Product dimensions	36.5*27*24cm
Giftbox dimensions	47.5*32*33cm
Master carton dimensions	48*34*36cm
Unit packing	3.6/6.4kg
Units per 20GP/40GP/40HQ	558/1076/1250

PR-367

PR-367



Optional Accessories



230^V Voltage



2000^w Motor





2^L Capacity

Voltage	110-240v
Motor power	2000w
Water tank capacity	2L
Power cable length	2.5m
Heating time	8min
Working time	40min
Hose	1.45m
Steam pressure	2-5bar
Product dimensions	36.5*27*24cm
Giftbox dimensions	47.5*32*33cm
Master carton dimensions	48*34*36cm
Unit packing	3.5/6.4kg
Units per 20GP/40GP/40HQ	558/1076/1250

STEAM CLEANER

PR-369



230^V Voltage



1800^W Motor




1.5^L Capacity

Technical Parameter

Voltage	110-240v
Motor power	1800w
Water tank capacity	2L
Power cable length	2.5m
Heating time	8min
Working time	30min
Hose	1.45m
Steam pressure	2-5bar
Product dimensions	36.5*27*24cm
Giftbox dimensions	47.5*32*33cm
Master carton dimensions	48*34*36cm
Unit packing	3.3/6.4kg
Units per 20GP/40GP/40HQ	558/1076/1250

HANDHELD STEAM CLEANER

PR-383



230^V
Voltage



1500^W
power (up to)




1.2^L
capacity (up to)

Technical Parameter

Voltage	110-240v
Power	1500w
Water tank capacity	1.2L
Power cable length	1.5m
Heating time	10S
Working time	20min
Hose	2.2m
Steam pressure	3bar
Product dimensions	20*14*14cm
Giftbox dimensions	27.6*17.6*24.9cm
Unit packing	56.2*36.2*51.3cm(8 in 1)
Units per 20GP/40GP/40HQ	1832/4136/5065 pieces

HANDHELD STEAM CLEANER

PR-384



230^V Voltage



1350^W power (up to)




1.2^L capacity (up to)

Technical Parameter

Voltage	110-240v
Power	1350w
Water tank capacity	1.2L
Power cable length	1.5m
Heating time	10S
Working time	20min
Hose	2m
Steam pressure	3bar
Product dimensions	21*13.5*14cm
Giftbox dimensions	27*14.5*16cm
Unit packing	56.5*31.5*52.5cm(12 in 1)
Units per 20GP/40GP/40HQ	3612/7483/9290 pieces

HANDHELD STEAM CLEANER

PR-364



230^V Voltage



1600^W Motor



1.1^L Capacity

Technical Parameter

Voltage	110-240v
Motor power	1600w
Water tank capacity	1.1L
Power cable length	2.5m
Heating time	10s
Working time	20min
Hose	0.9m
Steam pressure	1.2bar
Product dimensions	12.8*17.8*24cm
Giftbox dimensions	35*16*33cm
Unit packing	2.15/2.65kg
Units per 20GP/40GP/40HQ	1666/3222/4000